


Advanced Wound Care



Antibacterial **MEDIHONEY**[®] *Tulle Dressing*

MediHoney[®] Antibacterial Tulle dressing consists of Medical Grade Manuka Honey combined with a 3-ply non-adherent contact dressing.

85%
ANTIBACTERIAL
MANUKA HONEY*

Features and Benefits


- Made with Medical Grade Manuka Honey
- Delivers broad-spectrum antimicrobial activity¹
- MediHoney aids and supports autolytic debridement and a moist wound healing environment in acute and chronic wounds and burns²⁻⁵
- Trifold dressing can be unfolded to triple its original size
- MediHoney has a low pH of 3.5-4.5
- Lowering pH has been associated with wound healing benefits
- Helps to reduce malodour⁶
- Has been safely used on patients of all ages
- Dressing change frequency will depend on the condition of the patient as well as the level of wound exudate

MEDIHONEY® Tulle Dressing

Antibacterial Dressing

MediHoney® Tulle Dressing Antibacterial Dressing

Reference	Description	Units/Box	PIP Code	NHS Code
796	3-Ply, 10 cm x 10 cm <i>unfolds to</i> 10 cm x 30 cm	5/box	346-3346	EJEO67
797	3-Ply, 5 cm x 5 cm <i>unfolds to</i> 5 cm x 15 cm	5/box	400-9346	EKBo93



Necrotic Wound



Diabetic Foot Ulcer



Arterial Ulcer

Indications

- Leg ulcers (venous, arterial and mixed aetiology ulcers)
- Diabetic foot ulcers
- Pressure ulcers
- Infected and malodorous wounds
- Necrotic and sloughy wounds
- Donor and recipient graft sites
- 1st- and 2nd-degree burns
- Surgical wounds

Contraindications

- Third-degree burns
- Patients with a known sensitivity to honey
- To control heavy bleeding

References: 1. Maddocks S, Lopez M, Rowlands R, Cooper R. Manuka honey inhibits the development of *Streptococcus pyogenes* biofilms and causes reduced expression of two fibronectin binding proteins. *Microbiology*. 2012;158:781-790. 2. Robson V, Yorke J, Sen R, Lowe D, Rogers S. Randomised controlled feasibility trial on the use of medical grade honey following microvascular free tissue transfer to reduce the incidence of wound infection. *The British J Oral & Maxillofacial Surgery*. 2012;50(4):321-327. 3. Robson, V., Dodd, S and Thomas, S. Standardized antibacterial honey (MediHoney®) with standard therapy in wound care: randomized clinical trial. *Journal of Advanced Nursing*.2009: 565-575. 4. Bateman S, Graham T.The Use of MediHoney® Wound Gel on surgical wounds post-CABG. *WOUNDS UK*. 2007;(3):76 – 83. 5. Cadogan, J. The use of honey to treat an ulcer on the heel of a person with diabetes. *The Diabetic Foot Journal*. 2008 11. (1): 43-45. 6. Robson V, Yorke J, Sen R, Lowe D, Rogers S. Randomised controlled feasibility trial on the use of medical grade honey following microvascular free tissue transfer to reduce the incidence of wound infection. *The British J Oral & Maxillofacial Surgery*. 2012;50(4):321-327.

Availability of these products might vary from a given country or region to another, as a result of specific local regulatory approval or clearance requirements for sale in such country or region.

- Non contractual document. The manufacturer reserves the right, without prior notice, to modify the products in order to improve their quality.
- Consult product labels and inserts for any indication, contraindications, hazards, warnings, precautions, and instructions for use.

Additional information for EMEA Customers only:

Products mentioned in this document are CE class I, IIa, IIb or III devices. Contact Integra should you need any additional information on devices classification. All the medical devices mentioned on this document are CE marked according to European council directive 93/42/EEC on medical devices and its relatives, unless specifically identified as "NOT CE MARKED".

For more information or to place an order, please contact:

Customer Service

United Kingdom +44 (0) 1264 312 725 ▪ +44 (0) 1264 312 821 fax
integralife.eu

Manufacturer:



Derma Sciences, Inc.
 104 Shorting Road
 Toronto, Ontario M1S 3S4 ▪ Canada



Integra LifeSciences Services (France)
 Immeuble Séquoia 2
 97 Allée Alexandre Borodine
 Parc Technologique de la Porte des Alpes
 69800 Saint Priest – France